


Tubular Daylighting



Which Daylight is Right?

Solatube Daylighting Systems introduce a new standard with our IS*n* product models that integrate our solar-powered smart NightLight. So smart that it provides a tax credit on the entire system and installation.

Integrated Solar NightLight Models



290 ISn

Includes NightLight & Tax Credit* Available in both round and square Tube Size (diameter): 14 in. Maximum Tube Length: 30 ft+ Room Recommendations: kitchen, family room, master bath, large entry, or any large rooms

Classic Models



Available in both round and square Same tube size, length and room recommendation as the 290 ISn



160 IS*n*

Includes NightLight & Tax Credit* Available in both round and square Tube Size (diameter): 10 in. Maximum Tube Length: 20 ft+ Room Recommendations: bathroom, laundry, closet, hall, or in multiples for larger rooms



Available in both round and square Same tube size, length and room recommendation as the 160 ISn

Natural Light. Brilliant Technology.



Capture

- Raybender® 3000 Technology
- A patented daylight-capturing dome lens that:
- Redirects low-angle sunlight
- Provides consistent daylighting
- throughout the day

LightTracker Reflector

- An innovative in-dome reflector that:
- Redirects low-angle winter sunlight
- Increases light input for greater light output

Transfer

Spectralight® Infinity Tubing Tubing made of the world's most reflective material that:

- Delivers 99.7%** specular reflectivity for maximum sunlight transfer
- Provides the purest color rendition possible so colors are truer, brighter
- Allows for run lengths over 30 feet to deliver sunlight to lower floors
- INFRAREDuction® Technology integrated using a proprietary process to filter out infrared wavelengths and minimize solar heat gain



Generate

Integrated Solar Electric Technology

ISn Models automatically emit a soft glow after dark. Plus, this system yields a federal tax credit on system and installation costs.*

- Photovoltaic panel collects solar energy
- Stored energy powers the NightLight which automatically turns on at night

Deliver


Decorative Fixtures and Add-Ons

Form and function combine for optimal daylight diffusion with:

- Solatube Decorative Fixtures
- Warming and softening Effect Lenses
- Ventilation, dimmer and nighttime lighting options
- Available shapes in round or square



290 DS Low Profile Collector







Multiple Fixture Options

Function and Beauty Come Standard

Completely customize your daylighting with our Architect Series. Multiple shapes, diffuser types and frames mean your fixtures fit both your lighting needs and design sensibilities.



Engineered for All Roof Solutions

Seamless flashing for leak-proof performance. Advanced sunlight-capturing technologies. Optional sleek low profile design. Available for all roof types and pitches.





Spanish Tile



Shingle



Metal



Slate

Low Profile

Spanish Tile





Low Profile Concrete Tile



Low Profile Shingle

Add-ons

Light Add-On Kit

Use your daylighting system as a recessed light at night with a light add-on kit.



Solar-Powered Daylight Dimmer

Control light levels with the touch of a finger. 160/290 Models



Ventilation Add-On Kit

Combines with the Solatube 160 DS to drive out humidity and minimize ceiling clutter.



Codes and Approvals

Rest assured that the Solatube Daylighting System can be used in your project without any hassles. Solatube Daylighting Systems have been approved by all major building product approval agencies:

- A440-05 & A440-08 (AAMA/WDMA/CSA) Florida Building Code/High Velocity Hurricane Zone Code Compliance Research Report (CCRR) • City of Los Angeles • Texas Department of Insurance
- Energy Star®/NFRC Federal OSHA Fall Protection California OSHA Fall Protection UL TUV





* For more details visit: **solatube.com/federal-tax-credit** Tax credit only available in the United States. Consult your tax professional for details.

www.solatube.com

1-888-SOLATUBE

Part No. 951571 V4.5 ©2020 Solatube International, Inc. Solatube, Spectralight, OptiView, Raybender, INFRAREDuction, are trademarks of Solatube International, Inc. Other trademarks may apply. All rights reserved.

